

Package ‘PrettyCols’

January 20, 2025

Title Pretty Colour Palettes

Version 1.1.0

Description Defines aesthetically pleasing colour palettes.

License CC0

Encoding UTF-8

RoxygenNote 7.3.1

Depends R (>= 3.6)

Imports ggplot2, graphics, grDevices, lifecycle

Suggests covr, knitr, markdown, rmarkdown, testthat (>= 3.0.0)

Config/Needs/website nrennie/nrenniepkgdown

URL <https://nrennie.rbind.io/PrettyCols/>,
<https://github.com/nrennie/PrettyCols>

BugReports <https://github.com/nrennie/PrettyCols/issues>

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Author Nicola Rennie [aut, cre]

Maintainer Nicola Rennie <nrennie35@gmail.com>

Repository CRAN

Date/Publication 2024-06-19 21:10:02 UTC

Contents

colorblind_friendly	2
colourblind_friendly	2
prettycols	3
PrettyColsPalettes	4
scale_color_pretty_c	4
scale_color_pretty_d	5

scale_color_pretty_div	5
scale_colour_pretty_c	6
scale_colour_pretty_d	7
scale_colour_pretty_div	7
scale_fill_pretty_c	8
scale_fill_pretty_d	9
scale_fill_pretty_div	9
view_all_palettes	10

Index 11

colorblind_friendly *Returns a data frame of colorblind friendly colour palettes*

Description

Returns a data frame of colorblind friendly colour palettes

Usage

```
colorblind_friendly(palettes = PrettyColsPalettes)
```

Arguments

palettes List of palettes. Default PrettyColsPalettes.

Value

A data frame with two columns giving names and types of colourblind friendly palettes.

Examples

```
colorblind_friendly()
```

colourblind_friendly *Returns a data frame of colourblind friendly colour palettes*

Description

Returns a data frame of colourblind friendly colour palettes

Usage

```
colourblind_friendly(palettes = PrettyColsPalettes)
```

Arguments

palettes List of palettes. Default PrettyColsPalettes.

Value

A data frame with two columns giving names and types of colourblind friendly palettes.

Examples

```
colourblind_friendly()
```

prettycols	<i>Generates the colour palettes</i>
------------	--------------------------------------

Description

Generates the colour palettes

Usage

```
prettycols(palette, n, type = "discrete", direction = 1)
```

Arguments

palette	Name of Palette. Run names(PrettyColsPalettes) to view options.
n	Number of desired colors. If number of requested colors is beyond the scope of the palette, colors are automatically interpolated. If n is not provided, the length of the palette is used.
type	Either "continuous" or "discrete". Use continuous if you want to automatically interpolate between colors. Default "discrete"
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed

Value

A character vector of hex colour codes.

Examples

```
prettycols("Blues")
```

PrettyColsPalettes *Complete list of palettes.*

Description

Use `names(PrettyColsPalettes)` to return all palette names.

Usage

`PrettyColsPalettes`

Format

An object of class `list` of length 40.

`scale_color_pretty_c` *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

`scale_color_pretty_c(palette, direction = 1, legend_title = NULL, ...)`

Arguments

<code>palette</code>	Name of Palette. Run <code>names(PrettyColsPalettes)</code> to view options.
<code>direction</code>	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
<code>legend_title</code>	[Deprecated] Deprecated in favour of name.
<code>...</code>	Other arguments passed on to scale_color_gradientn

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, color = wt)) +
  geom_point() +
  scale_color_pretty_c("Greens")
```

scale_color_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_color_pretty_d(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, color = factor(cyl))) +
  geom_point() +
  scale_color_pretty_d("Bright")
```

scale_color_pretty_div *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_color_pretty_div(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run <code>view_all_palettes(type = "div")</code> to view options. Must be a diverging palette name.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to scale_colour_gradient2

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, colour = wt)) +
  geom_point() +
  scale_color_pretty_div("PurpleYellows", midpoint = mean(mtcars$wt))
```

scale_colour_pretty_c *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_colour_pretty_c(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run <code>names(PrettyColsPalettes)</code> to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to scale_colour_gradientn

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, colour = wt)) +
  geom_point() +
  scale_colour_pretty_c("Greens")
```

scale_colour_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_colour_pretty_d(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, colour = factor(cyl))) +
  geom_point() +
  scale_colour_pretty_d("Bright")
```

scale_colour_pretty_div
Plotting with PrettyCols palettes for colour ggplot2

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_colour_pretty_div(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run <code>view_all_palettes(type = "div")</code> to view options. Must be a diverging palette name.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to scale_colour_gradient2

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, colour = wt)) +
  geom_point() +
  scale_colour_pretty_div("PurpleYellows", midpoint = mean(mtcars$wt))
```

scale_fill_pretty_c *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_fill_pretty_c(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run <code>names(PrettyColsPalettes)</code> to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to scale_fill_gradientn

Value

A ggproto object defining a continuous fill scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, fill = wt)) +
  geom_point(pch = 21) +
  scale_fill_pretty_c("Greens")
```

scale_fill_pretty_d *Plotting with PrettyCols palettes for colour ggplot2*

Description

Plotting with PrettyCols palettes for colour ggplot2

Usage

```
scale_fill_pretty_d(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run names(PrettyColsPalettes) to view options.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to discrete_scale

Value

A ggproto object defining a discrete fill scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, fill = factor(cyl))) +
  geom_point(pch = 21) +
  scale_fill_pretty_d("Bright")
```

scale_fill_pretty_div *Plotting with PrettyCols palettes for fill colour ggplot2*

Description

Plotting with PrettyCols palettes for fill colour ggplot2

Usage

```
scale_fill_pretty_div(palette, direction = 1, legend_title = NULL, ...)
```

Arguments

palette	Name of Palette. Run <code>view_all_palettes(type = "div")</code> to view options. Must be a diverging palette name.
direction	Sets order of colors. Default palette is 1. If direction is -1, palette color order is reversed
legend_title	[Deprecated] Deprecated in favour of name.
...	Other arguments passed on to scale_colour_gradient2

Value

A ggproto object defining a continuous colour scale for use with ggplot2.

Examples

```
library(ggplot2)
ggplot(data = mtcars, aes(x = mpg, y = disp, fill = wt)) +
  geom_point(pch = 21) +
  scale_fill_pretty_div("PurpleYellows", midpoint = mean(mtcars$wt))
```

view_all_palettes	<i>Prints all available colour palettes</i>
-------------------	---

Description

Prints all available colour palettes

Usage

```
view_all_palettes(type = "all", colourblind_friendly = FALSE)
```

Arguments

type	Type of colour palettes to view. Either all palettes, sequential palettes, diverging palettes, or qualitative palettes. Types must be at least one of <code>c("all", "seq", "div", "qual")</code> . Default "all".
colourblind_friendly	Boolean whether or not to return only colourblind friendly palettes. Default FALSE.

Value

A plot of all colour palettes available in the package.

Examples

```
view_all_palettes(type = "seq")
view_all_palettes(type = c("seq", "div"))
view_all_palettes(type = "div", colourblind_friendly = TRUE)
```

Index

* datasets

- PrettyColsPalettes, 4

- colorblind_friendly, 2
- colourblind_friendly, 2

- discrete_scale, 5, 7, 9

- prettycols, 3
- PrettyColsPalettes, 4

- scale_color_gradientn, 4
- scale_color_pretty_c, 4
- scale_color_pretty_d, 5
- scale_color_pretty_div, 5
- scale_colour_gradient2, 6, 8, 10
- scale_colour_gradientn, 6
- scale_colour_pretty_c, 6
- scale_colour_pretty_d, 7
- scale_colour_pretty_div, 7
- scale_fill_gradientn, 8
- scale_fill_pretty_c, 8
- scale_fill_pretty_d, 9
- scale_fill_pretty_div, 9

- view_all_palettes, 10