

# Package ‘plattice’

October 14, 2022

**Type** Package

**Title** Lattice Plot for Panel Data

**Version** 1.0

**Date** 2022-10-01

**Author** Michail Tsagris [aut, cre],  
Christos Adam [aut]

**Maintainer** Michail Tsagris <mtsagris@uoc.gr>

**Description** It creates a lattice plot to visualize panel or longitudinal data. The observed values are plotted as dots and the fitted values as lines, both against time. The plot is customizable and easy to edit, even if you do not know how to construct a lattice plot from scratch.

**Depends** R (>= 4.0)

**Imports** ggplot2

**License** GPL (>= 2)

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2022-10-03 07:20:05 UTC

## R topics documented:

plattice-package . . . . .	1
plattice . . . . .	2
<b>Index</b>	<b>4</b>

---

plattice-package      *This is an R package that provides lattice plot for panel data.*

---

## Description

It creates a lattice plot to visualize panel or longitudinal data. The observed values are plotted as dots and the fitted values as lines, both against time. The plot is customizable and easy to edit, even if you do not know how to construct a lattice plot from scratch.

**Details**

Package: plattice  
 Type: Package  
 Version: 1.0  
 Date: 2022-10-01  
 License: GPL-2

**Maintainers**

Michail Tsagris <mtsagris@uoc.gr>

**Author(s)**

Michail Tsagris <mtsagris@uoc.gr>, Christos Adam <pada4m4@gmail.com>.

---

plattice

*Lattice plot of panel data along with the model fitted values*

---

**Description**

Lattice plot of panel data along with the model fitted values.

**Usage**

```
plattice(x, rows, pcol = "blue", psize = 2, lcol = "red", lsize = 1,
legcol = "orange", xlabel = NULL, ylabel = NULL, y_labels = NULL)
```

**Arguments**

x	A data frame with 4 columns of this specific order. Column 1: the grouping variable. Column 2: the time periods. Column 3: the observed response values. Column 4: the fitted values.
rows	The number of rows the lattice plot will contain.
pcol	The colour of the points (observed response values).
psize	The size of the points (observed response values).
lcol	The colour of the line of the fitted values.
lsize	The size of the line of the fitted values.
legcol	The colour of the background of the title of each sub-graph.
xlabel	The label of the x-axis.
ylabel	The label of the y-axis.
y_labels	A vector with the numbers to appear in the y-axis. If left NULL, 10 equidistant values will appear.

**Value**

A lattice plot with as many diagrams as the number of groups.

**Author(s)**

Christos Adam and Michail Tsagris.

**Examples**

```
y <- rnorm(120, 3, 1)
yhat <- 3 * y + rnorm(120, 0, 0.4)
id <- rep( c("DENMARK", "FRANCE", "GERMANY", "GREECE", "IRELAND", "ITALY"), 20)
a <- data.frame( country = id, year = rep(2000:2019, each = 6), y = y, yhat = yhat)
plattice(a, rows = 2)
```

# Index

plattice, [2](#)

plattice-package, [1](#)