

The HEP-TEXT package*

List and text extensions

Jan Hajer[†]

2023/07/01

Abstract

The HEP-TEXT package extends L^AT_EX lists using the ENUMITEM package and provides some text macros.

The package can be loaded by `\usepackage{hep-text}`.

- `lang` The `lang` option sets the used language and takes the values allowed by the BABEL package [1], that is loaded for its hyphenation support.
- `\enquote` Quotation commands are provided by the CSQUOTES package [2]. It provides the convenient macros `\enquote{<text>}` and `\MakeOuterQuote{}` allowing to leave the choice of quotation marks to L^AT_EX and use " instead of the pair “ and ”, respectively.
- `\eg` The FOREIGN package [3] defines macros such as `\eg`, `\ie`, `\cf`, and `\vs` which are typeset as e.g., i.e., cf., and vs. with the appropriate spacing. Issuing `\renewcommand\foreignabbrfont{\itshape}` these abbreviations are typeset in italic.
- `\vs`
- `\no` The `\no{<number>}` macro is typeset as N^o 123.
- `\software` The `\software{<version>}{<name>}` macro is typeset as HEP-PAPER v1.2.
- `\online` The `\online{<url>}{<text>}` macro combines the features of the `\href{<url>}{<text>}` [4] and the `\url{<text>}` [5] macros, resulting in e.g. `ctan.org/pkg/hep-text`.
- `inlinelist` The `inlinelist` and `enumdescript` environments are defined using the ENUMITEM package [6].
- `enumdescript` The three main points are
- The three main points are i) one, ii) two; and iii) three.
- ```
\begin{inlinelist}
 \item one
 \item two
 \item three
\end{inlinelist}

\begin{enumdescript}[label=\Roman*]
 \item{First} one
 \item{Second} two
 \item{Third} three
\end{enumdescript}
```

`\underline` The `\underline` macro is redefined to allow line-breaks using the SOULUTF8 package [7].

---

\*This document corresponds to HEP-TEXT v1.2.

<sup>†</sup>jan.hajer@tecnico.ulisboa.pt

## References

- [1] J. Braams, J. Bezos, and at al. ‘Babel Localization and internationalization: Multilingual support for Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X’ (1989). CTAN: `babel`. GitHub: `latex3/babel`.
- [2] P. Lehman and J. Wright. ‘The `csquotes` Package: Context sensitive quotation facilities’ (2003). CTAN: `csquotes`.
- [3] P. G. Ratcliffe. ‘The `foreign` package for L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>: Systematic treatment of “foreign” words in documents’ (2012). CTAN: `foreign`.
- [4] *L<sup>A</sup>T<sub>E</sub>X3 Project*. ‘Hypertext marks in L<sup>A</sup>T<sub>E</sub>X: a manual for `hyperref`: Extensive support for hypertext in L<sup>A</sup>T<sub>E</sub>X’ (1995). CTAN: `hyperref`. GitHub: `latex3/hyperref`.
- [5] D. Arseneau. ‘The `url` package: Verbatim with URL-sensitive line breaks’ (1996). CTAN: `url`.
- [6] J. Bezos. ‘Customizing lists with the `enumitem` package: Control layout of itemize, enumerate, description’ (2003). CTAN: `enumitem`. URL: [texnia.com/enumitem.html](http://texnia.com/enumitem.html). GitHub: `jbezos/enumitem`.
- [7] H. Oberdiek. ‘The `soulutf8` package: Permit use of UTF-8 characters in `soul`’ (2007). CTAN: `soulutf8`.